

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/317162898>

# Yellow fever threatens Atlantic Forest primates

Article in *Science Advances* · May 2017

CITATIONS

6

READS

965

25 authors, including:



**Júlio César Bicca-Marques**

Pontifícia Universidade Católica do Rio Grande do Sul

169 PUBLICATIONS 1,383 CITATIONS

[SEE PROFILE](#)



**Cláudia Calegari-Marques**

Universidade Federal do Rio Grande do Sul

28 PUBLICATIONS 437 CITATIONS

[SEE PROFILE](#)



**Anthony Brome Rylands**

Global Wildlife Conservation

188 PUBLICATIONS 8,264 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Urban Monkeys Program - Programa Macacos Urbanos [View project](#)



Ecology of tropical trees [View project](#)

# Impending extinction crisis of the world's primates: Why primates matter

Alejandro Estrada<sup>1,\*</sup>, Paul A. Garber<sup>2,\*</sup>, Anthony B. Rylands<sup>3</sup>, Christian Roos<sup>4</sup>, Eduardo Fernandez-Duque<sup>5</sup>, Anthony...

+ See all authors and affiliations

*Science Advances* 18 Jan 2017:  
Vol. 3, no. 1, e1600946  
DOI: 10.1126/sciadv.1600946



Peer Reviewed  
← see details

**Article**      **Figures & Data**      **Info & Metrics**      **eLetters**      **PDF**

eLetters is an online forum for ongoing peer review. Submission of eLetters are open to all .  
**Please read our guidelines** before submitting your own eLetter.

**Submit a Response to This Article**

## Yellow fever threatens Atlantic Forest primates

**Júlio César Bicca-Marques,**

Pontifícia Universidade Católica do Rio Grande do Sul, Porto Alegre, RS 90619- 900, Brazil.

Other Contributors:

Full author list in-text

(25 May 2017)

Emerging infectious diseases were cited as a cause of population decline of wild nonhuman primates (NHPs) by A. Estrada and collaborators in their review "Impending extinction crisis of the world's primates" (*Science Advances*, 18 January, e1600946). Concurrent with the publication of this review, an epidemic of jungle yellow fever (YF) in the Atlantic Forest region of southeastern Brazil is affecting humans and NHPs alike, challenging health and wildlife conservation authorities and professionals. From December 2016 to 18 May 2017, YF has killed 264 people (42 additional deaths are under investigation) and caused, at least, 5,000 NHP deaths (1). Our field estimates sum many thousands of NHP deaths. Humans have access to an effective vaccine and about 85% of infected unvaccinated people are asymptomatic or develop a mild form of YF (2). Despite this resistance, there are 758 confirmed human cases and a further 622 cases under investigation, about 63% of them in regions of recommended vaccination prior to the current epidemic.

A disease of African origin, YF has spread to a portion of the Atlantic Forest that is outside the region of regular recommended vaccination (1) and encompasses most of the distribution of several NHPs, including the Vulnerable northern masked titi monkey (*Callicebus personatus*) and the Critically Endangered northern muriqui (*Brachyteles hypoxanthus*) and northern brown howler monkey (*Alouatta guariba guariba*) (3). Belonging to a genus highly sensitive to YF (4-7), the northern brown howler may reach the brink of extinction after this epizootic. Also particularly worrisome is the recent confirmation of human deaths of yellow fever in the municipality of Casimiro de Abreu in the state of Rio de Janeiro. Casimiro de Abreu is located in the center of the distribution of the Endangered

golden lion tamarin (*Leontopithecus rosalia*), a charismatic species whose conservation status has improved thanks to decades of research and management efforts both in the field and captivity and many million dollars invested in its recovery from near extinction. Lion tamarins appear to be highly sensitive to the Brazilian strains of the YF virus (8). Therefore, although no lion tamarins have died of the disease so far, the danger is real. Mortality among other taxa, even if not as extreme as that of howler monkeys, will compromise populations due to their isolation in already highly fragmented landscapes (5). This epizootic sadly demonstrates that even in areas like the Atlantic Forest where species and habitat protection is effective, unpredicted disease outbreaks like this (and, for example, Ebola in Central and West Africa) can be a major threat, exacerbated in areas of highly fragmented forest as in this region.

Worsening the situation, in many locations people afraid of the disease are harassing and killing NHPs, even in regions without current cases of YF. This misguided – and illegal – behavior further compromises NHP conservation, and backfires against public health by suppressing their critical role as sentinels of YF virus circulation. The obliteration of this free public health service in areas devoid of NHPs might be particularly missed by those people whose vaccination is not recommended.

Many questions remain unanswered about the factors that trigger and disperse YF, but it is certain that the vaccination of all inhabitants and visitors of risk areas would help to prevent human epidemics (2) and benefit NHPs by removing this source of people's fear and obviating our potential role in the spread of the virus. Therefore, vaccinating people is not only crucial for public health but also for biodiversity conservation.

#### References

1. Brazilian Ministry of Health, <http://portalarquivos.saude.gov.br/images/pdf/2017/maio/19/COES-FEBRE-AM...> (2017).
2. P. F. C. Vasconcelos, in *Arthropod Borne Diseases*, C. B. Marcondes, Ed. (Springer, Cham, 2017), chap. 8.
3. L. G. Neves, L. Jerusalinsky, A. Rylands, F. R. Melo, M. Talebi, in *Primates in Peril: The World's 25 Most Endangered Primates 2014–2016*, C. Schwitzer, R. A. Mittermeier, A. B. Rylands, F. Chiozza, E. A. Williamson, J. Wallis, A. Coton, Eds. (Conservation International, Arlington, 2016), pp. 83-86.
4. I. Holzmann, I. Agostini, J. I. Areta, H. Ferreyra, P. Beldomenico, M. S. Di Bitetti, Impact of yellow fever outbreaks on two howler monkey species (*Alouatta guariba clamitans* and *A. caraya*) in Misiones, Argentina. *Am. J. Primatol.* 72, 475-480 (2010).
5. D. S. Freitas, J. C. Bicca-Marques, Evaluating the impact of an outbreak of yellow fever on the black-and-gold howler monkey in southern Brazil. *Oryx* 45, 16-17 (2011).
6. M. A. B. Almeida, E. Santos, J. C. Cardoso, D. F. Fonseca, C. A. Noll, V. R. Silveira, A. Y. Maeda, R. P. Souza, C. Kanamura, R. A. Brasil, Yellow fever outbreak affecting *Alouatta* populations in Southern Brazil (Rio Grande do Sul State), 2008-2009. *Am. J. Primatol.* 74, 68-76 (2012).
7. J. C. Bicca-Marques, D. S. Freitas, The role of monkeys, mosquitoes, and humans in the occurrence of a yellow fever outbreak in a fragmented landscape in south Brazil: protecting howler monkeys is a matter of public health. *Trop. Cons. Sci.* 3, 31-42 (2010).
8. G. K. Strode, *Yellow Fever* (McGraw Hill, New York, 1951).

Authors and Affiliations: Júlio César Bicca-Marques,<sup>1\*</sup> Cláudia Calegari-Marques,<sup>2</sup> Anthony B. Rylands,<sup>3</sup> Karen B. Strier,<sup>4</sup> Russell A. Mittermeier,<sup>3</sup> Marco Antônio B. De Almeida,<sup>5</sup> Paulo Henrique G. De Castro,<sup>6</sup> Óscar M. Chaves,<sup>1</sup> Luís Paulo Ferraz,<sup>7</sup> Vanessa B. Fortes,<sup>8</sup> Zelinda M. B. Hirano,<sup>9</sup> Leandro Jerusalinsky,<sup>10</sup> Martin Kowalewski,<sup>11</sup> Waldney P. Martins,<sup>12</sup> Fabiano R. De Melo,<sup>13</sup> Sérgio L. Mendes,<sup>14</sup> Leonardo G. Neves,<sup>15</sup> Fernando C. Passos,<sup>16</sup> Marcio Port-Carvalho,<sup>17</sup> Soraya Ribeiro,<sup>18</sup> Alessandro P. M. Romano,<sup>19</sup> Carlos R. Ruiz-Miranda,<sup>20</sup> Elisandro O. Dos Santos,<sup>21</sup> Julio Cesar De Souza Jr.,<sup>22</sup> Danilo S. Teixeira.<sup>19</sup>

\* Corresponding author e-mail: [jbicca@pucrs.br](mailto:jbicca@pucrs.br)

1 Pontifícia Universidade Católica do Rio Grande do Sul, Porto Alegre, RS 90619-900, Brazil. 2 Universidade Federal do Rio Grande do Sul, Porto Alegre, RS 91501-970, Brazil. 3 Conservation International, Arlington, VA 22202, USA. 4 University of Wisconsin, Madison, WI 53706, USA. 5 Secretaria Estadual da Saúde do Rio Grande do Sul, Porto Alegre, RS 90650-090, Brazil. 6 Centro Nacional de Primatas, Ananindeua, PA 67020-000, Brazil. 7 Associação Mico-Leão-Dourado, Casimiro de Abreu, RJ 28860-970, Brazil. 8 Universidade Federal de Santa Maria, Palmeira das Missões 98300-000, Brazil. 9 Fundação Universidade Regional de Blumenau, Blumenau, SC 89030-903, Brazil. 10 Centro Nacional de Pesquisa e Conservação de Primatas Brasileiros, João Pessoa, PB 58010-480, Brazil. 11 CONICET and Sociedad Latinoamericana de Primatología, Corrientes, Corrientes, Argentina 3400. 12 Universidade Estadual de Montes Claros, Montes Claros, MG 39401-351, Brazil. 13 Universidade Federal de Goiás, Jataí, GO 75801-615, Brazil. 14 Universidade Federal do Espírito Santo, Vitória, ES 29075-910, Brazil. 15 Instituto Uiraçu, Camacan, BA 45880-000, Brazil. 16 Universidade Federal do Paraná, Curitiba, PR 81531-980, Brazil. 17 Instituto Florestal, São Paulo, SP 02377-000, Brazil. 18 Secretaria Municipal de Meio Ambiente e Sustentabilidade, Porto Alegre, RS 90480-002, Brazil. 19 Universidade de Brasília, Brasília, DF 70910-900, Brazil. 20 Universidade Estadual do Norte Fluminense Darcy Ribeiro, Campos dos Goytacazes, RJ 28013-602, Brazil. 21 Zoológico Municipal de Canoas, Canoas, RS 92020-030, Brazil. 22 Centro de Pesquisas Biológicas de Indaial, Indaial, SC 89130-000, Brazil.